

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	304	399/306,307,309.ccls.	US- PGPUB; USPAT
2	BRS	L2	634	399/302.ccls.	US- PGPUB; USPAT
3	BRS	L3	594	2 not 1	US- PGPUB; USPAT
4	BRS	L4	369	399/308.ccls.	US- PGPUB; USPAT
5	BRS	L5	178	4 not (1 or 2)	US- PGPUB; USPAT
6	BRS	L6	711	399/66,67.ccls.	US- PGPUB; USPAT
7	BRS	L7	604	6 not (1 or 2 or 4)	US- PGPUB; USPAT
8	BRS	L8	67227	duplex\$3	US- PGPUB; USPAT
9	BRS	L9	75088	(print\$3 or cop\$4 or imag\$3) with ((both or second or two) near2 (side\$1 or face\$1 or surface\$1))	US- PGPUB; USPAT
10	BRS	L10	18132	9 with (paper or sheet\$1 or record\$3 or media or medium\$1)	US- PGPUB; USPAT
11	BRS	L11	106307	thermal\$2 near2 expan\$5	US- PGPUB; USPAT
12	BRS	L12	719	10 and 11	US- PGPUB; USPAT
13	BRS	L13	76	12 and "399"/\$3.ccls.	US- PGPUB; USPAT
14	BRS	L14	69	13 not (1 or 2 or 4 or 6)	US- PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
15	BRS	L15	277388	transfer\$4 with (fix\$5 or heat\$3 or fus\$5)	US-PGPUB; USPAT
16	BRS	L16	12875	transfix\$5 or transfus\$5	US-PGPUB; USPAT
17	BRS	L17	713	8 and 11	US-PGPUB; USPAT
18	BRS	L18	679	17 not 12	US-PGPUB; USPAT
19	BRS	L19	17	18 and "399"/\$3.ccls.	US-PGPUB; USPAT
20	BRS	L20	708	17 not (1 or 2 or 4 or 6)	US-PGPUB; USPAT
21	BRS	L21	14	19 not (1 or 2 or 4 or 6)	US-PGPUB; USPAT
22	BRS	L22	19890	(8 or 10) and (15 or 16)	US-PGPUB; USPAT
23	BRS	L23	3912	22 and "399"/\$3.ccls.	US-PGPUB; USPAT
24	BRS	L24	3389	23 not (1 or 2 or 4 or 6 or 14 or 21)	US-PGPUB; USPAT
25	BRS	L25	245964	(melt\$3 or soften\$3 or (glass adj1 transit\$3)) with temperature\$1	US-PGPUB; USPAT
26	BRS	L26	281	24 and 25	US-PGPUB; USPAT
27	BRS	L27	134773	g03g015/00.ipc. or g03g015/16.ipc. or g03g015/20.ipc. or g03g015/01.ipc. or g03g021/00.ipc.	EPO; JPO
28	BRS	L28	32450	thermal\$2 near2 expan\$5	EPO; JPO
29	BRS	L29	339	27 and 28	EPO; JPO

	Type	L #	Hits	Search Text	DBs
30	BRS	L30	8049	duplex\$3	EPO; JPO
31	BRS	L31	21137	(print\$3 or cop\$4 or imag\$3) with ((both or second or two) near2 (side\$1 or face\$1 or surface\$1))	EPO; JPO
32	BRS	L32	6542	31 with (paper\$1 or sheet\$1 or record\$3 or media or medium\$1)	EPO; JPO
33	BRS	L33	2	29 and (30 or 32)	EPO; JPO
34	BRS	L34	337	29 not 33	EPO; JPO
35	BRS	L35	2759	(30 or 32) and 27	EPO; JPO
36	BRS	L36	80133	transfer\$4 with (fix\$5 or heat\$3 or fus\$5)	EPO; JPO
37	BRS	L37	1705	transfix\$5 or transfus\$5	EPO; JPO
38	BRS	L38	405	35 and (36 or 37)	EPO; JPO
39	BRS	L39	405	38 not 29	EPO; JPO
40	BRS	L40	51122	(melt\$3 or soften\$3 or (glass adj1 transit\$3)) with temperature\$1	EPO; JPO
41	BRS	L41	4	39 and 40	EPO; JPO
42	BRS	L42	401	39 not 41	EPO; JPO